

## Test Report

No. CTSSA/03209/12  
CTS Ref. CTSSA/12/0515/CSC

Date : 22/02/2012

Page: 1 of 5

**CSC STEEL SDN BHD**  
**180, KAWASAN INDUSTRI AYER KEROH, AYER KEROH**  
**75450 MELAKA, MALAYSIA**

**The following merchandise was (were) submitted and identified by the client as:**

Sample Description : GI SGCC Z12, BMT 0.6mm (HP8657)  
Sample Receiving Date : 16/02/2012  
Testing Period : 16/02/2012 to 22/02/2012

---

Test Requested : Selected test(s) as requested by client  
Test Method : Please refer to next page(s).  
Test Results : Please refer to next page(s).  
Analysts : Teh Pui Sean & Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.



CHONG KIEN LEN  
B.Sc.(HONS) AMIC  
SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service ([www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm)) and Terms and Conditions for Electronic Documents ([www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm)). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at [www.sgs.com/site/authentication](http://www.sgs.com/site/authentication). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. **Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.**

# Test Report

No. CTSSA/03209/12  
 CTS Ref. CTSSA/12/0515/CSC

Date : 22/02/2012

Page: 2 of 5

Test results:

Test Part Description :

Sample Description : GI SGCC Z12, BMT 0.6mm (HP8657)

**RoHS Directive 2011/65/EU Annex II**

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to EPA Method 3050B, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to EPA Method 3050B, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to EPA Method 3052, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to JIS H 8625, and performed by UV-VIS Spectrophotometry	184	2
<b>Sum of PBBs</b>	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.



CHONG KIEN LEN  
 B.Sc.(HONS) AMIC  
 SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service ([www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm)) and Terms and Conditions for Electronic Documents ([www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm)). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at [www.sgs.com/site/authentication](http://www.sgs.com/site/authentication). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. **Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.**

# Test Report

No. CTSSA/03209/12  
 CTS Ref. CTSSA/12/0515/CSC

Date : 22/02/2012

Page: 3 of 5

Sum of PBDEs	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to EPA Method 3540C/3550C, and performed by GC-MS	N.D.	5

- Note : (a) mg/kg = ppm ; (0.1wt% = 1000ppm)  
 (b) N.D. = Not Detected  
 (c) MDL = Method Detection Limit  
 (d) - = Not regulated  
 (e) Result Cr6+ based on plating weight given by client

SGS LABORATORY SERVICES (M) SDN. BHD.



CHONG KIEN LEN  
 B.Sc.(HONS) AMIC  
 SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service ([www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm)) and Terms and Conditions for Electronic Documents ([www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm)). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at [www.sgs.com/site/authentication](http://www.sgs.com/site/authentication). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

## Test Report


No. CTSSA/03209/12  
CTS Ref. CTSSA/12/0515/CSC

Date : 22/02/2012

Page: 4 of 5

### Test Part Description :

Sample Description : GI SGCC Z12, BMT 0.6mm (HP8657)



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN  
B.Sc.(HONS) AMIC  
SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service ([www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm)) and Terms and Conditions for Electronic Documents ([www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm)). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at [www.sgs.com/site/authentication](http://www.sgs.com/site/authentication). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. **Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.**

# Test Report

No. CTSSA/03209/12

Date : 22/02/2012

Page: 5 of 5

CTS Ref. CTSSA/12/0515/CSC

## 1. DETERMINATION OF HEXAVALENT CHROMIUM BY JIS H 8625

Sample Preparation  
↓  
Hot water extraction  
↓  
Add colour-developing reagent  
↓  
Let stand for 5-10 min  
↓  
Analyses by UV- Spectrophotometer (540 nm)

## 2. DETERMINATION OF CADMIUM CONTENT BY US EPA 3050B

Cut sample in small pieces  
↓  
Weight sample (1.0g) into digestion vessel  
↓  
Acid digestion (HCl and HNO<sub>3</sub>)  
↓  
"Totally Dissolved"  
↓  
Filtration  
↓  
Analyses by ICP

## 3. MICROWAVE ASSISTED ACID DIGESTION OF SILICEOUS AND ORGANICALLY BASED METRICES (US EPA 3052)

Cut sample in small pieces  
↓  
Weight sample (0.2-0.5g) into digestion vessel  
↓  
Acid digestion (HF and HNO<sub>3</sub>) – Microwave  
↓  
"Totally Dissolved"  
↓  
Filtration  
↓  
Analyses by ICP

## 4. DETERMINATION OF LEAD CONTENT BY US EPA 3050B

Cut sample in small pieces  
↓  
Weight sample (1.0g) into digestion vessel  
↓  
Acid digestion (HCl and HNO<sub>3</sub>)  
↓  
"Totally Dissolved"  
↓  
Filtration  
↓  
Analyses by ICP

## 5. DETERMINATION OF PBB/PBDE WITH GC-MS

Cut sample in small pieces  
↓  
Weight sample (0.5-4g) into extraction thimble  
↓  
Ultrasonic / Soxhlet Extraction with Toluene  
↓  
Filter through 0.45 µm membrane filter  
↓  
Analyses by GC-MS (with appropriate dilution)

\*\*\*\* End of Report \*\*\*\*

SGS LABORATORY SERVICES (M) SDN. BHD.



CHONG KIEN LEN  
B.Sc.(HONS) AMIC  
SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service ([www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm)) and Terms and Conditions for Electronic Documents ([www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm)). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at [www.sgs.com/site/authentication](http://www.sgs.com/site/authentication). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. **Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.**